

INSTITUTE OF TROPICAL MEDICINE NAGASAKI UNIVERSITY



JUNE



2001

MISSION STATEMENT

Institute of Tropical Medicine, Nagasaki University

The tropics, the most ecologically diverse region on the Earth, presents an ongoing complexity of tropical diseases and other health problems. In view of the remarkable advances made in the field of international exchange in recent years, it is imperative that these problems be addressed from a global perspective.

Based on this understanding, the Institute of Tropical Medicine, Nagasaki University, aims to overcome tropical diseases, particularly infectious diseases, and the various health problems associated with them, in cooperation with related institutions, to strive for excellence in the following areas:

- 1 . Spear-head research in tropical medicine and international health
- 2 . Global contribution through disease control and health promotion in the tropics by applying the fruits of the research
- 3 . Cultivation of the researchers and specialists in the above fields



General view of the Institute



Preface

The Institute of Tropical Medicine, Nagasaki University, established in 1942, is a unique government-assisted institution for the research on tropical medicine, both in the basic and applied fields. Its reorganization led to the first collaborative institute in medical science in Japan in 1989, and designation as one of the Centers of Excellence in 1995 by Ministry of Education, Science and Culture. Present organization of the institute is composed of 3 major research fields (11 departments, 1 domestic visiting department, 1 overseas visiting department), 2 centers, and 1 clinical unit.

According to the first external review in 1996, the institute worked out its Mission Statement as shown on a back cover. To fulfil our mission, we continue the research and other related activities. The highlights are as follows.

* Activities on the Mission;“ spear-head research in tropical medicine and international health

- 1 . Strategic researches have been conducted to develop the novel weapon against tropical diseases; analysis of genomic structure of Japanese encephalitis and dengue viruses, structure and function of the receptors for bacterial enterotoxins, mechanisms for expression and activation of superoxide degenerating NADPH oxidase system, and immuno-genetical analysis of tropical diseases.
- 2 . Epidemiological studies and control have been carried out on malaria, dengue fever / dengue hemorrhagic fever, acute respiratory infections, Kaposi's sarcoma and schistosomiasis in Southeast Asia and Africa.
- 3 . Environmental factors, such as vector and socio-economic problem, which cause the spread of tropical diseases in the developing countries have been studied.

Department of virology has been designated as WHO Collaborating Centre for Reference and Research on Tropical Viral Diseases.

* Activities on the Mission;“ Global contribution through diseases control and health promotion in the tropics by applying the fruits of the research ”

- 1 . Staffs have given their technical co-operation to disease control program in developing countries as WHO short-term consultants, JICA experts and other consultants.
- 2 . Some of our professors participate in Hashimoto Initiative, the global parasite control which is organized and carried out under leadership of Japanese Government.
- 3 . In 2001, the institute will carry out the intellectual and technical leadership as Developmental Project Partner of JICA“ Malaria Control Project in Indonesia ”.

* Activities on the Mission;“ Cultivation of the researchers and specialists in the above fields ”

- 1 . Staffs of the institute conduct the doctorate degree course which belongs to the postgraduate school of medical science in Nagasaki University.
- 2 . Since 1978, the institute offers a 3-month course of Tropical Medicine and Related Studies.
- 3 . Since 1983, the institute holds one year training course for foreign participants entitled “ Research in Tropical Medicine ” sponsored by JICA.

In addition, the institute has a Home page by which we educate the public why tropical medicine is important for the future well being of humankind and information on the tropical diseases in the world.

This pamphlet is one of our advocacy efforts to the public. It offers a brief but intelligible explanation on our research activities and other related social activities. Any suggestions and supports will be gratefully appreciated.

June, 2001

Yoshiaki Aoki M. D., D. M. Sc.
Dean and Professor
Institute of Tropical Medicine
Nagasaki University

Contents

Preface	1
Contents	2
Historical Review	3
Successive Deans of the Institute	4
Organizational Chart	5
Collaboration Research	6
Institute of Tropical Medicine Steering Committee	7
Institute of Tropical Medicine Collaboration Professional Committee	8
Scope of Activity	9
Postgraduate School	9
Three-month Course on Tropical Medicine and Related Studies	9
Training Course in Research of Tropical Medicine	10
Public Lectures at the Institute	10
Publications	10
Department of Virology	11
Department of Bacteriology	12
Department of Protozoology	13
Department of Parasitology	14
Department of Thermal Adaptation	15
Department of Biochemistry	16
Department of Pathology	17
Department of Internal Medicine	18
Department of Preventive Medicine and AIDS Research	19
Department of Vector Ecology & Environment	20
Department of Social Environment	21
Department of Molecular Immunogenetics	22
Department of Internal Medicine (University Hospital)	23
Animal Research Center	23
Research Center for Tropical Infectious Diseases	24
Central Laboratory	25
Administration	25
Location map of the Institute of Tropical Medicine on Sakamoto Campus of Nagasaki University	26
Ground plan of the Institute, 1st Floor, 2nd Floor	27
Ground plan of the Institute, 3rd Floor, 4th Floor	28
Ground plan of the Animal Research Center	29
Telephone Number	30

Historical Review

The Institute of Tropical Medicine, Nagasaki University was originally founded in March 1942, as the East Asian Research Institute of Endemics, in order to perform basic and applied studies on endemic diseases in East Asia. At the beginning, most of its research activities were field studies in mainland China, performed by several department such as Pathology, Bacteriology, Internal Medicine and Dermatology of Nagasaki College of Medicine. Unfortunately, all the facilities and research materials were completely destroyed instantaneously along with the Medical School by the atomic bomb which exploded on August 9th, 1945. As a result, development of the institute and its research activities were severely inhibited.

In April 1946, the institute was named as the Research Institute of Endemics attached to Nagasaki College of Medicine, and moved to Isahaya City in May in order to resume its research activities. In accordance with the Act on the Foundation of National Schools in May 1949, the institute was renamed as the Research Institute of Endemics, Nagasaki University. Because of the severe flood in Isahaya City, the construction of the new building in Sakamoto-machi, Nagasaki City was started in 1960, and the institute moved to new building in April, 1961. At that time, there were only two departments, Pathology and Clinics, however, since 1964, new departments were established every Year, such as Epidemiology, Parasitology, Virology and at the end of 1966, the first extension of the building was completed.

In June 1967, according to the partial alteration of the Act on the Foundation of National Schools, the name of the institute was changed to the present one, in order to perform basic as well as applied studies

on tropical medicine. At the same time, the Department of Internal Medicine of the institute with 20 bed facilities was opened in the University Hospital. In 1974, Department of Bacteriology and Reference Center as an attached facility were opened. In 1978, the Department of Preventive Medicine supported by visiting staff and the Training Course of Tropical Medicine were started. In 1979, Ward of Infectious animals became Animal Research Center. In March 1980, the 2nd extension of the main building was concluded. In September 1983, the Training Course in Research for Tropical Medicine by JICA was opened. In 1984, Department of Protozoology was established. In July 1985, the 3rd extension of the building was completed. In 1987, Department of Medical Entomology was established. In 1989, the institute was reorganized to a collaboration research institute. In 1991, Department of Biochemistry was added. In March 1994, the 4th extension of the building was completed, and in April, 1994, the institute was reorganized to 3 research fields, Tropical Microbiology, Pathogenesis and Clinical Sciences, and Environmental Medicine, with addition of 2 new research departments, Thermal Adaptation and Social Environment, and the institute has 12 research departments at present. In 1995, the Institute was designated as one of the "Centers of Excellence" in the forefront of scientific research. In 1996, a new research department, Molecular Epidemiology, was established under the Research Field of Microbiology to invite an overseas visiting professor. In 1997, the Reference Center was abolished and in its place the Information and Reference Center of Tropical Medicine was established, then in 2001, it was abolished and in its place the Research Center for Tropical Infectious Diseases was established, symbolizing continuous consolidation and re-organization of the Institute.



Successive Deans of the Institute

(East Asian Research Institute of Endemics)

Susumu Tsunoo	May .4 ,1942-Aug 22 ,1945
Kohei Koyano	Dec 22 ,1945-Jan 23 ,1948
Kiyoshi Takase	Jan 24 ,1948-Aug 31 ,1948
Noboru Tokura	Sept .1 ,1948-May 30 ,1949


(Research Institute of Endemics)

Noboru Tokura	May 31 ,1949-Aug 31 ,1958
Nanzaburo Omori	Sept .1 ,1958-Nov 30 ,1963
Hideo Fukumi	Dec .1 ,1963-May 31 ,1967

(Institute of Tropical Medicine)

Hideo Fukumi	June .1 ,1967-Nov 30 ,1969
Daisuke Katamine	Dec .1 ,1969-Nov 30 ,1973
Kaoru Hayashi	Dec .1 ,1973-Nov 30 ,1977
Tatsuro Naito	Dec .1 ,1977-Nov 30 ,1979
Daisuke Katamine	Dec .1 ,1979-Apr .1 ,1981
Keizo Matsumoto	Apr .2 ,1981-Apr .1 ,1991
Hideo Itakura	Apr .2 ,1991-Apr .1 ,1993
Mitsuo Kosaka	Apr .2 ,1993-Apr .1 ,1997
Akira Igarashi	Apr .2 ,1997-May 31 ,2001
Yoshiki Aoki	Apr .1 ,2001-Up to the present

Organizational Chart




Collaboration research

The institute has conducted research in the field of tropical medicine for the past 60 years since its establishment in 1942 . The institute was reorganized to make extensive collaboration with other universities and institute in the field of interdisciplinary tropical medicine with molecular biology, entomology, anthropology, social medicine, etc.

These activities of the institute are expected to contribute to remarkable progress of tropical medicine.

The senior staff composed of professors of the institute and the executive committee make plans for research work. The steering committee and the collaboration professional committee composed of experienced scientists coordinate the various collaboration researchs.

Collaboration Research Sytem



Institute of Tropical Medicine Steering Committee

The University of Tokyo	Professor Emeritus	Manabu Sassa
National Institute of Infectious Diseases	Honorary Post	Akira Oya
Nagasaki University	Professor Emeritus	Keizo Matsumoto
The Institute of Medical Science The University of Tokyo	Director	Ken-ichi Arai
Research Institute for Microbial Diseases Osaka University	Director	Yoshitake Nishimune
The International Medical Center Japan International Cooperation of Welfare Services	President Senior Medical Adviser	Yoshio Yazaki Takashi Wagatsuma
Kobe University	Professor	Shigeaki Sato
Japanese Foundation for AIDS Prevention	Director	Tadao Shimao
Nagasaki University		
Faculty of Economics	Professor	Keiji Ide
School of Medicine	Dean	Hiroshi Saitou
Institute of Tropical Medicine	Dean	Yoshiki Aoki
"	Professor	Toshiya Hirayama
"	Professor	Hiroji Kanbara
"	Professor	Michio Nakamura
"	Professor	Tsuyoshi Nagatake
"	Professor	Naoki Yamamoto
"	Professor	Masahiro Takagi
"	Professor	Tsutomu Mizota
"	Professor	Kenji Hirayama
"	Professor	Masaaki Shimada
		: Chairman

Institute of Tropical Medicine Collaboration Professional Committee

Gunma University	Professor	Mamoru Suzuki
Kyusyu University	Professor Emeritus	Isao Tada
Kobe University	Professor	Haku Hotta
Kumamoto University	Professor	Hiroshi Maeda
University of the Ryukyus	Professor	Shigeo Nonaka
Oita Medical College	Professor	Kumato Mifune
University of Occupational and Environmental Health	Professor	Takekiyo Yoshimura
Osaka International University	Professor	Yuji Yamamoto
Keio University	Professor	Yoshiyasu Takefuji
Nagasaki University		
School of Medicine	Professor	Taiichirou Takemoto
"	Professor	Shigeru Katamine
School of Pharmaceutical Sciences	Professor	Nobuyuki Kobayashi
Institute of Tropical Medicine	Professor	Tsuyoshi Nagatake
"	Professor	Toshiya Hirayama
"	Professor	Hiroji Kanbara
"	Professor	Yoshiki Aoki
"	Professor	Michio Nakamura
"	Professor	Naoki Yamamoto
"	Professor	Masahiro Takagi
"	Professor	Tsutomu Mizota
"	Professor	Kenji Hirayama
"	Professor	Masaaki Shimada

: Chairman

Scope of Activities

Based on the following research organization and intimate linkages with other research institutes and universities, the institute aims at accomplishing a mission “ Spear-head research in tropical medicine and international health ”.

To study comprehensively the tropical diseases which are raging in the developing countries, research organization of the institute consists of 3 major research fields which deal with the classical triad of “ human-agent-environment ”determinants of infectious diseases and Research Center for Tropical Infectious Diseases.

The research of tropical medicine faces the inevitable fact that“ the bench is in the bush ”. Therefore the institute has a close linkage with the overseas institutes in Asia, Africa and South Americas and continues the joint studies. Memorandums of academic exchange programs were signed between Nagasaki University and 3 overseas institutes. In 2000, the exchange program under the core university system by JSPS was newly established between our Institute and National Institute of Hygiene and Epidemiology in Vietnam.

The prevalence of tropical diseases depends on the geographic, social and economic factors. Therefore the institute has established the special research system which helps forward the multidisciplinary studies on tropical diseases.



Adomission ceremony in 2001

Postgraduate School

The Doctor Course in the Institute belongs to the Postgraduate School of Medical Science in Nagasaki University. Students who want to study in the Course must pass the entrance examination of the School and thereafter can select the special subject listed by each professor in the Institute. The number of the student in 2001 is 30 (including foreign students)

Three-month Course on Tropical Medicine and Related Studies

The course aims to provide participating persons with a better understanding of the health problems in tropics, to increase their ability to cope with them, and to give a fuller knowledge of the cultures and the life of the people in tropics.

Physicians and professionally qualified persons working in health and related fields may apply for admission to the course. Fifteen candidates are accepted to the course in a year. The course consists of 13 weeks (June-August) of instruction and examination. Teaching is undertaken by the full-time staff and guest lecturers.

The course provides lectures and laboratory and field practices in virology, bacteriology, protozoology, parasitology, medical entomology, environmental physiology, biochemistry, pathology, internal medicine, and geography and culture in tropics. Candidates who completed successfully the course are awarded the Diploma in Tropical Medicine.

Training Course in Research of Tropical Medicine

Arrangements for conducting the course in this Institute are administered by Japan International Cooperation Agency, commissioned by the Government of Japan to execute Technical Cooperation Programs from 1983 .

This course is conducted by the Government of Japan as a part of its Technical Cooperation Programs for developing countries with a view of contributing to upgrading their standards in tropical medicine and to promoting friendly relations to the countries.

The purpose of this course is to help the control of endemic and epidemic diseases infesting the Torrid Zone. Through the guidance of the staff of the Institute, the participants will enrich their fundamental knowledge and practical techniques for various medical problems in the tropics.

Individual participants will study on a selected subject in the responsible department for a year. Capacity of each department is normally limited to one person.



Admission ceremony in 2000

Public Lectures at the Institute

Annually, the Institute of Tropical Medicine holds public lectures for the citizens. The lectures address issues pertaining to travellers to regions endemic to tropical diseases. It is intended to prepare the public to maintain good health abroad. The other aim is to open our intellect and knowledge to the public.

Publications

Tropical Medicine

This is a quarterly journal with publications of original articles from the Institute. The journal was first published in March 1959 as “ Endemic Diseases Bulletin of Nagasaki University ”. In 1967 , the name was changed to “ Tropical Medicine ”.

Institute of Tropical Medicine,
Nagasaki University

The first English guide for foreign visitors was printed in 1971. A revised edition is published every year.

Department of Virology

This Department has been conducting basic and applied research on mosquito-borne flaviviral diseases such as Japanese encephalitis (JE), dengue fever (DF) / dengue hemorrhagic fever (DHF), as well as hepatitis C.

Analysis on the structure and function of JE and dengue viral genome


Nucleotide sequence analysis and molecular expression of JE and dengue viral genome have been carried out together with long PCR techniques in order to study molecular epidemiology, epitope analysis, biological activity of nonstructural proteins, and virulent viral gene responsible for viral pathogenesis.

Analysis on apoptosis induced by flavivirus infections.

Flavivirus infection induces apoptosis of the infected cells. Characterization of apoptosis and its relation to pathogenicity has been studied in cell line and animal model.

Development of rapid diagnosis of flaviviral diseases

Viral genome detection and identification by PCR, preparation of diagnostic antigen from infected cell culture fluid, and simplification of IgM antibody detection have been carried out.



Newly identified JE neutralizing epitope 503

Activities as a WHO Collaborating Center

By the letter from Dr. S. T. Han, former Director of WHO Regional Office for the Western Pacific (WPRO) dated 23 November 1993, the Department of Virology, Institute of Tropical Medicine, Nagasaki University was designated as WHO Collaborating Center for Reference and Research on Tropical Viral Diseases. On 9 August 1994, Inauguration Ceremony was held at Pompe Hall by the presence of Dr. Han and approximately 120 guests, which was followed by the WHO Workshop "Epidemiology and Control on DF /DHF and JE". The Department has received WHO fellows from Vietnam, Fiji, and the Philippines, and dispatched WHO short-term consultants on the subjects relevant to its terms of reference. Dr. Kouichi Morita was appointed as the Regional Advisor on Communicable Diseases, WHO-WPRO, from 16 May 1995 to 15 May 1998. According to the letter from Dr. Shigeru Omi, present Director of WHO-WPRO, the Collaborating Center was extended to 23 September 2003.

Assistant professor	Kouichi Morita
Research Associate	Futoshi Hasebe
Postdoctoral Fellow (COE)	Maria del Carmen Parquet
Senior Research Assistant	Toshiko Ueno
Senior Research Assistant	Mutsumi Nagata
Technician	Kazumi Jodai
Postgraduates student	Afjal Hossain Khan
Postgraduates student	Edward G. Mathenge
Ronpaku Fellow	Paresh Sumatilal Shah



P 2 Level laboratory

Department of Bacteriology

Our major research interest is to elucidate the etiologic agents isolated from pathogenic bacteria related to the worldwide emerging and re-emerging diseases.

Studies on the cellular and molecular mechanisms of diarrhea induced by bacterial enterotoxins and *Salmonella*:


Aeromonas sobria hemolysin is important in the pathogenesis of diarrhea caused by this enteropathogenic bacterium. Glycosylphosphatidylinositol-anchored glycoprotein was identified as a receptor for *A. sobria* hemolysin on Intestine 407 cells. (Ref. Microb. Pathog. (1999) 27 : 215)

Focusing on the molecular mechanisms of the diarrhea induced by heat-stable enterotoxins (STa) of enteropathogenic bacteria, we are studying 1) interaction of *Escherichia coli* heat-stable enterotoxin with its receptor and 2) activation of guanylate cyclase (GC-C) by STa. (Ref. Eur. J. Biochem. (1999) 263: 338) Inflammation caused by Salmonella is also investigated (J. Biol. Chem. (2001) 276. 30521)

Studies on the pathogenesis of *Helicobacter pylori*:

To investigate a potential mechanism of how *H. pylori* establishes infection, we investigate the host-parasite relationships of *H. pylori*, focusing on vacuolating cytotoxin A (VacA) and Cag pathogenicity island (CagPAI).

1) VacA exposed to alkaline or acid conditions, with subsequent neutralization, exhibits enhanced vacuolating activity; the acid or alkali-activated VacA appears to bind a cell surface receptor protein of ~250 kDa. N-terminal and internal amino acid sequence is consistent with the hypothesis that p250 is RPTP β . Phorbolmyristate (PMA, TPA) induces differentiation of the human leukemic cell line HL-60 into cells with macrophage-like characteristics and enhances the susceptibility of HL-60 cells to VacA. PMA induced expression of RPTP β mRNA and protein as determined by RT-PCR and indirect immunofluorescence studies. Vitamin D3 and IFN- γ , which stimulate differentiation of HL-60 cells into a monocyte-like cells, also induced VacA sensitivity and expression of RPTP β mRNA, whereas 1.2% DMSO and retinoic acid, which stimulated the maturation of HL-60 into granulocyte-like cells did not. RPTP β anti-sense oligonucleotide inhibited induc-



Cytotoxicity of VacA toxin through its binding to receptor-protein tyrosine phosphatase β

tion of VacA sensitivity and expression of RPTP β . Double immunostaining studies also indicated that newly expressed RPTP β colocalized with VacA in PMA-treated HL-60 cells. BKN-21 cells transfected with the RPTP β cDNA acquired VacA sensitivity. All data are consistent with the conclusion that acquisition of VacA sensitivity by PMA-treated HL-60 cells results from induction of RPTP β , a protein that function as the VacA receptor. (Ref. J. Biol. Chem. (1999) 274: 36693, J. Biol. Chem. (2000) 275: 15200) The detail mechanism of VacA action was briefly clarified (Ref. J. Clin. Inv. (2001) 107: 15200)

2) Human β -defensin-2 (hBD-2) is an antimicrobial peptide which belongs to one of the most important host defence system against bacterial infection in several epithelial tissues. We studied the effect of *H. pylori* on the expression of hBD-2 mRNA in MKN 45 gastric mucosal cells. *H. pylori*, but not culture filtrate, increased hBD-2 mRNA level in MKN 45 cells, whereas thus inductive effect of *H. pylori* was not detected when Intestine 407 cells were incubated with *H. pylori*. Among the tested strains of *H. pylori*, which lacks Cag PAI, did not induce hBD-2 mRNA in MKN 45 cells. These results suggested that cag PAI of *H. pylori* is important for inductive expression of hBD-2 mRNA through NF-KB activation in MKN 45 cells.

Exposure of MKN 45 cells to *Salmonella typhimurium*, *S. enteritidis*, *S. typhi*, and *S. dublin*, but not *Escherichia coli* ML 35, resulted in remarkable induction of hBD-2 mRNA. (Ref. Biochem. Biophys. Res. Commun. (1999) 283: 770, Infect. Immun. (2000) 68: 1806, Cell. Microb. (2001) 3: 115)

Studies on the development of cholera vaccine:

The overexpression of fimbriae of *Vibrio cholerae* O1 is under study for use in cholera vaccine trial. (Ref. Microbiol. Immunol. (2000) 44: 439)

Professor	Toshiya Hirayama
Assistant professor	Yoshio Ichinose
Research Associate	Masahiko Ehara
Research Associate	Akihiro Wada
Research Associate	Akitoyo Ichinose
Technologist	Mamoru Iwami
Technician	Kayo Honda
JSPS Researcher	Kinnosuke yahiro
COE Researcher	Miyuki Kimura
Postgraduate Student	Takahiro Kimura



Laboratory

Department of Protozoology


Our main purpose is to clarify infection mechanisms of intracellular protozoan parasites.

Study of malaria parasites

- 1) Specific immune reaction in malaria.
- 2) Surviving strategies of *Plasmodium falciparum* in mammalian hosts.
- 3) Epidemiology of human malaria.



Laboratory for culture



Plasmodia sporozoites from ruptured oocysts in Anopheline mosquito


Study of trypanosomes

- 1) Functions and expression mechanism of trans-sialidase.
- 2) Adaptation mechanisms of *Trypanosoma* species to environments.
- 3) Modification of infected host-cells by *Trypanosoma cruzi*.
- 4) Simple diagnostic methods for Chagas' disease in endemic fields.

Other studies

- 1) Molecular epidemiology of pathogenic strains of *Entamoeba histolytica* in the Philippines.
- 2) Epidemiology of cryptosporidiosis

Professor	Hiroji Kanbara
Assistant Professor	Haruki Uemura
Research Associate	Tetsuo Yanagi
Research Associate	Shusuke Nakazawa
Visiting Researcher	Windell Laverinto Rivera
Technician	Miki Kinoshita
Technician	Kurenai Matsuo
Postgraduate Student	Mie Kato
Postgraduate Student	Katsunori Shinohara
Postgraduate Student	Ton That Ai Long
Postgraduate Student	Chaturong Putaporntip
Postgraduate Student	Mohammed Nasir Shuaibu
Postgraduate Student	Maria Cecilia Huaman
Postgraduate Student	Toshio Miyazaki
Postgraduate Student	Sandra Ines Juarez



Amastigotes (left) and trypomastigotes (right) of *Trypanosoma cruzi*

Department of Parasitology

The research activities are concentrated on filariasis, schistosomiasis, and intestinal helminthiasis which constitute the major public health problems in the tropics.

Filariasis

Brugia malayi (Cheju strain, periodic form), *B. pahangi* and the vector mosquito, *Aedes aegypti* (Liverpool strain) have been maintained in the laboratory for many years. Highlights of recent studies are as follows.

1) Development of a simple and sensitive method for determination of serum concentration of ivermectin (IVM) and diethylcarbamazine (DEC):

IVM and DEC modified partially in their chemical structure successfully produced the antibody against drugs. Therefore the serum concentration (5 ng/ml) of IVM and DEC can be determined by EIA.

2) Screening of antifilarial drugs from medical plants:

Vernonia amygdalina from Africa, *Neurolaena lobata* from Guatemala and *Cardiospermum halicababum* from Thailand, were effective in vitro on *B. pahangi* adult worms and microfilariae.

3) Epidemiology and control of bancroftian filariasis:

A research project was carried in Kwale, Kenya, in cooperation with Kenya Medical Research Institute (KEMRI) during the period of 1990 and 1996. Transmission potential and morbidity were studied. Mass-chemotherapy with combination of DEC and NaHCO₃ was evaluated.

Schistosomiasis

Schistosoma mansoni (Puerto Rican strain and Kenyan strain), *S. haematobium* (Kenyan strain) and some strain of vector snails have been maintained in the laboratory. Highlights of recent studies are as

follows.

1) Swimming behavior of miracidia:

cAMP is involved in the control of ciliary beating and chemotaxis of miracidia.

2) Mechanisms of penetration of cercariae into skin:

The studies suggest the involvement of protein kinase C in proteolytic enzyme release from cercariae.

3) Epidemiology and control of *S. haematobium* infection:

Since 1981, the research project on Schistosomiasis haematobia was carried out in Kwale, Kenya, in cooperation with KEMRI for 20 years. The highlights of our studies are human water contact study, cercarial concentration in natural water, ecology of *Bulinus globosus*, usefulness of urinary reagent strips, new immunodiagnostic test (urine ELISA, modified COPT), effect of piped water supply, KAP study (knowledge, attitude and practices), health education, morbidity studies using ultrasound, environmental modification for snail control, prevalence of bladder cancer and liver fibrosis and qualitative and quantitative studies on difficulty of urination is reported in the community.

Intestinal helminthiasis

Since 2000, epidemiological studies on intestinal helminthiasis has been taken up. The studies aim to show that mode of transmission is different in countries and main determinant is human behaviour.

Professor	Yoshiki Aoki
Assistant Professor	Yasunori Fujimaki
Research Associate	Kanji Watanabe
Technologist	Mitsumasa Miura
Technician	Satomi Tominaga
Postgraduate Student	Tomoharu Ohki
Postgraduate Student	Hidehiko Yamauchi
Postgraduate Student	Hiroshi Matsuyama
Postgraduate Student	Gunawardena Nipul Kithsiri
Postgraduate Student	Teruyo Kusaba



Examination of difficulty of urination by using Uroflowmeter in an endemic area of Kenya



Examination of contamination of soil by eggs and larvae of intestinal helminthiasis in Vietnam

Department of Thermal Adaptation

The Department was newly established in 1994 to study on the influence of the tropical environment on human and animals, secondary damage occurring by this direct influence, mechanism of acclimatization to the tropical environment and its applications to tropical medicine.

Study on short and long term heat acclimatization of human

On the short term heat acclimatization, it experiment to expose Japanese to heat in environmental chamber for period from spring to summer. They sweat too much and high electrolyte concentration in the sweat for surplus reaction, so they have big damage as compensation of body temperature control.


Heat loss responses of Tropical inhabitants are studied in the short term heat acclimatization. Their nonevaporative heat loss by blood circulation are effective, and their sweat is a little with low electrolyte concentration as comparison with Japanese it.

Therefore, they sweat minimum volume, and have heat tolerance(Left figure).

Victims by heat stroke decrease, who are mainly children and old men. Society and economy develop by ability adaptation for heat acquired, which increases working ability without discomfort and fatigue.

A study of effective defense method from ultraviolet rays

Ultraviolet rays (UV) contained by Sun light cause various damage in the living body, and UV is a large quantity and strong power in the Tropical Zone and the mountains in particularly. Therefore,the



Experiment of thermal sweating in the environmental chamber

creatures on earth acquired various defense methods for ultraviolet rays harmful to body in a process of evolution.

We have been promoting the study of defense methods from ultraviolet rays in wild animals which inhabit in a low latitude area, the desert and mountains (Right figure: black layer of body hair absorbs UV) in particular.

For the purpose, we study effective defense mechanisms for ultraviolet rays in wild animals, then we design the best defense method against ultraviolet rays with nature and harmless.

The influence of change in biophylaxis functions induced by ultraviolet radiation to infection of tropical disease

Skin cancer occurs by strong ultraviolet radiation for a long term. The exposure to more little amount of ultraviolet rays may be influence biophylaxis function to infection. UV in the Tropical Zone are strong, and many persons suffer from infectious disease. There are approximately 250 million patients with schistosomiasis in Tropical Zone.

In our experiment on infection of *Schistosoma mansoni* cercariae to mouse, ultraviolet radiation group by ultraviolet lamp (UV-B) was statistical difference in the number of *Schistosoma mansoni* cercariae invaded into skin and recovery the adult warms compared with nonirradiation group. We experiment the influence of ultraviolet rays in Sun light on it now.

This study elucidates influence of ultraviolet rays for infectious disease and contributes to the infectious disease control, in particular,in the Tropical Zone with strong ultraviolet rays.

Associate professor (Additional post)

Nobu Ohwatari



Pika inhabiting the mountains of 3200 m

Departement of Biochemistry

Our research interest is focused on the molecular events occurring in inflammatory cells for the defense against invading microbes. Reactive oxygen species are essential for killing most of bacteria, fungi, and parasites. We are therefore investigating mechanisms for the expression and activation of superoxide-degenerating NADPH oxidase system.

GATA-3 as the Eosinophil-specific Repressor for the Expression of gp91^{phox}, an Electrontransferring Component in Phagocyte NADPH Oxidase System

In a systematic search for cis-elements regulating gp91^{phox} expression in eosinophil lineage, we identified an inhibitory element containing a GATA consensus site at the proximal promoter and GATA-3 as the specific protein binding to that site. Two-base-pair substitution at the consensus site abolished inhibition of the promoter activity in eosinophil-committed HL60-C15 cells, indicating that the GATA-3 binding to the site is a repressor in the cells. Because eosinophil is the only cell expressing GATA-3 among human phagocytes and B lymphocytes, GATA-3 is an eosinophil lineage-specific repressor of gp91^{phox} gene.

PU .1 but not HAF-1 is a Common Activator for the Expression of gp91^{phox} in Neutrophils, Monocytes and B Lymphocytes




Fig .1 . Reporter gene expression driven by various mutant gp91^{phox} promoters

For the expression of gp91^{phox} in these cells, we previously suggested a common transcriptional activator which requires the position-53 based on an analysis of a novel patient with chronic granulomatous disease. HAF-1 and PU .1 were indentified as candidates for this activator. We, therefore, examined 60 fragments with onebase substitutions neighboring to-53 , and found two sequences;one has a mutation at-56 and impairs the binding of HAF-1 , and the other mutation at-50 and impairs the binding of PU .1 The-50 mutant promoter but not-56 mutant one exhibited decreased reporter activity, indicating PU .1 , but not HAF-1 , to be an essential activator for the expression of the gene in those cells (Fig .1). A discovery of a similar patient with a point mutation at-52 which abolished the binding of PU . 1 confirmed our conclusion.

Our future aim is to apply these findings to in innovation of techniques to control tropical diseases and allergy.

Professor	Michio Nakamura
Assistant Professor	Atsushi Kumatori
Research Associate	Shoichi Suzuki
Technologist	Toshiyuki Moriuchi
Postgraduate Student	MD. Rafiqul Islam
Postgraduate Student	Maki Takata
Postgraduate Student	K. A. Deepa
JICA Student	Elizabet.R.Katalin



Department of Pathology

Our main research activities are histopathological and molecular biological investigation and geopathological analysis of infectious diseases and neoplasms in the tropics in collaboration with other overseas or domestic institutions.

Present research projects are as follows:

Diagnostic histopathology of infectious diseases in the tropics

Histopathological investigation and consultation of tropical diseases and imported infectious diseases.

Liver diseases in the tropics

Seroepidemiological and histopathological study of liver diseases such as viral hepatitis, liver cirrhosis, hepatocellular carcinoma and endemic liver diseases in East Africa and Southeast Asia.

Kaposi's sarcoma

Geopathological, histopathological and molecular biological study on Kaposi's sarcoma, especially

focussing on African endemic-type Kaposi's sarcoma in East Africa.

Malignant tumors and oncogenic viruses in the tropics

Geopathology of malignant tumors in East Africa and Southeast Asia and molecular pathology to elucidate the oncogenesis of malignant tumors in the tropics.

Interdisciplinary study on environmental pathology in the tropics


Analysis of the interactions among environmental factors, human ecology and disease manifestations.

In addition to the research activities mentioned above, the department is also responsible for post-mortem examinations and histological diagnostic pathology of surgical specimens, including special research work on liver biopsy at the Nagasaki University Hospital.

Associate Professor	Toriyama, Kan
Research Associate	Senba, Masachika
Research Associate	Iseki, Masachika
Technician	Fukuda, Akemi



African endemic-type Kaposi's sarcoma



Annual frequency rates of Kaposi's sarcoma among malignant tumors in western Kenya

Department of Internal Medicine

Our main studies are described in the followings.

I . Comparative study on respiratory infections between other countries and Japan

Our department has promoted collaboration study on respiratory infections with Thailand, Bangladesh, Vietnam, Uganda and Kwait. Since then the pathogens of respiratory infections has been recognized. As a result the antimicrobial treatment has been appropriately modified.

II . The laboratory and clinical studies on bacterial respiratory infections

III . Studies on anti-inflammatory mediator therapy in chronic respiratory infections

Our studies have revealed that the neutrophil activator, IL-8 and neutrophil elastase, play a very important role in chronic respiratory infections. The studies for anti-mediator therapies are undergoing.

IV . Basic and clinical studies on nosocomial infections by *Staphylococcus aureus*

Staphylococcal infection is one of the serious problems of nosocomial infections. We established a method for the management of nosocomial infections.

Although we could reduce the occurrence of MRSA infections, there are various problems con-

cerning this organisms particularly its pathogenecity.

V . Analysis of the risk factor for nosocomial pneumonia in mouse experimental mode

VI . Collaboration study in Uganda on the treatment of AIDS patients with infections(tuberculosis, cryptococcal meningitis and e. t. c)

Since 1990 we have investigated the condition of AIDS in Uganda to save patients complicated with infections. Caollaboration project has been with the School of Medicine, Makerere University, Uganda.

VII . Basic and clinical studies on influenza

VIII . Chinal study on acute respiratory infections and bacterial meningitis among the children in Bangladesh

IX . Study on Bacterial adherence of respiratory infection.

Professor	Tsuyoshi Nagatake
Associate Professor	Kazunori Oishi
Research Associate	Hideaki Amano
Research Associate	Kiwao Watanabe
Postgraduate Student	Kazushi Motomura
Postgraduate Student	Tomoo Ukon
Postgraduate Student	Mariko Saito
Postgraduate Student	Junko Goto
Postgraduate Student	Jun Koyama
Postgraduate Student	Ai Murakami



Laboratory of bacterial research



Laboratory of biochemical research

Department of Preventive Medicine and AIDS Research

This department was newly added to the institute in 1978 as a research division open to visiting professors from other universities and institutes. It is run by concurrent research staff for the present. We have planned and started from January of 1997 a series of fundamental research to answer the question how and what mechanisms retroviral infection may lead to several diseases including acquired immunodeficiency syndrome (AIDS) and adult T-cell leukemia (ATL).

Study on the mechanism of transactivation of several cellular genes by HTLV-I-Tax and HIV-Tat

HTLV-I and HIV are known to be causative agents for ATL and AIDS, respectively. HTLV-I-Tax and HIV-Tat are nuclear proteins which transcriptionally *trans* activate not only their own enhancers in the long terminal repeat but also a number of cellular genes. We have previously demonstrated the capacity of the Tax of HTLV-I to modulate the expression of various cellular genes: the cytokine genes for IL-1 α , IL-6, IL-8, IL-10, and the cell adhesion molecule gene for ICAM-1. We are now intending to study the mechanisms of transactivation of cellular genes including IL-8, IL-10, ICAM-1, and iNOS by Tax or Tat.

Study on the mechanism of Tax independent NF- κ B activation

HTLV-I-infected cells have been shown to have high levels of active NF- κ B and Tax has been demonstrated to activate some cellular genes by causing an increase in NF- κ B levels. However, in the ATL samples, viral mRNA are not detected. These results indicate that the cellular genes are constitutively over-expressed in the absence of Tax *in vivo*. These findings imply that there is another mechanism independent of Tax underlying the NF- κ B activation in fresh ATL cells. The mechanism of Tax independent NF- κ B activation is under investigation by using TL-Oml cells.

Study on mechanism of apoptosis induction in HIV or HTLV-I infection

Generally, the length of time between HIV infection and development of AIDS is considered to be 10 years on average. HIV infection is accompanied by the progressive loss of CD4 T cells. Apoptosis, a form of programmed cell death, has been implicated in pathogenicity related to infection with HIV. HTLV-I Tax also leads to apoptotic cell death. Apoptotic pathway and its mechanism which account for the pathophysiology in HIV or HTLV-I infected individuals are under investigation by using T cells transfected to constitutively express Tat or Tax.

Visiting Professor	Naoki Yamamoto
Visiting Associate Professor	Takao Masuda
Research Associate	Naoki Mori
Technician	Masako Sasaki



Laboratory for biochemical research



Tissue culture room

Department of Vector Ecology & Environment

Main interest of the department is analysis of environmental factors that affect the transmission of insect-borne diseases, and pursuing environmental friendly vector control strategy.

1 . Physiology and ecology of malaria vectors

A long-term monitoring on main vectors of malaria has been conducted at several fields in Southeast Asian countries. Spatial and temporal changes in larval habitats, vegetation, and the impact of human activity on the environment are evaluated in relation to abundance of vectors, host preference, and other population parameters. The GIS/RS is introduced as a new tool to analyze the environment. Geographical strains of several *Anopheles* are comparatively studied by morphological, physiological, and genetic approach.

2 . Ecology and control of dengue vectors

Epidemiological studies have been conducted at several fields in Southeast Asian countries. Monitoring by oviposition traps and mark-release-recapture

experiment are performed to establish more realistic larval indices. In the laboratory *Aedes aegypti* and *Ae. albopictus* are studied on their ecological characters among geographical strains. Feeding behavior and population dynamics of these mosquitoes also are studied in the laboratory and fields.

3 . Vector control technique related studies

Basic study of copepods as a hopeful biological control agent against vector mosquito larvae. Biochemical approach to insecticide resistance in vector mosquitoes.

Professor	Masahiro Takagi
Assistant Professor	Yoshio Tsuda
Research Associate	Nobuko Tuno
Technician	Emiko Urakawa
Postgraduate Student	Yukiko Higa
Postgraduate Student	Ronald Enrique Marales
Postgraduate Student	Hamady Dieng
Postgraduate Student	Tomomitsu Sato
Postgraduate Student	Maiko Hasegawa
Ronpaku Student	Wannapa Suwonkerd
Research Student	Atsuhide Takesue



Stereomicroscopic observation of mosquitoes



Ramp traps for collecting mosquitoes

Department of Social Environment

Specific Features of the Department

This Department covers interdisciplinary field of Environmental and Social Medicine related to health services and social welfare problems in developing countries.

Interdisciplinary approach includes studies in Social Sciences and Humanities. Further, methods and actual means of international cooperation toward developing countries has been sought to utilize in order to promote inter-departmental linkage for information accumulated with specific analysis and professional response to the public particularly in the field of infectious diseases diagnosis and control.

Under this context, basic and applied research have been carried out in the following prospective themes from the view point of environmental and social aspects for the purpose of promoting assistance to minimize health problems in tropical areas:

Area of Research Activities:

- 1 . Study and analysis on social (incl. life style, political and economical) background which regulates frequency / areas / combination of diseases of the presence of epidemics.
- 2 . Study on the effect of individual and social environment toward endemic and epidemics.
- 3 . Standardization of human security measures in the field of health services from the view points of nutrition and 3 Es ie.economy, environment and education.
- 4 . Study on control of communicable diseases among the regional and international health care programs.
- 5 . Study on quantitative and qualitative values of medical and health services under the ODA ie. Official Development Assistance programs by Japanese government.

nese government.

- 6 . Feasibility study on comprehensive information filing and network system for the sake of promoting health and social welfare services in developing countries, by epidemics, by regions, by administrative measures.
- 7 . Reformation and coordination of health manpower training program / system to meet the need of tropical area.
- 8 . Comparative studies on the control of infectious diseases in tropical Asia.

Specific themes of joint cooperative research and research seminar designated to the Department in FY 2001 under the scheme of Research Institute for Nationally Joint-Use are listed below. The Technical and Management Committee recommended that interdisciplinary research collaboration should be realized from the viewpoint of middle and long-term range and managed not only by single department but by the whole Institute as one of the important mandates.

Joint Research projects themes:

- a) Linkage and balance between mass-poverty / environment / culture, and control measures for tropical medicine.
- b) Study on Application of Geographical Information system in Tropical Diseases Control
- c) Study on HIV / AIDS epidemic in Southern and Eastern Africa.

Research Seminar topic:

Study on possible elements of development, environment and culture which effect to tropical diseases control.

Professor	Tsutomu Mizota
Research Associate	Susumu Tanimura
Research Associate	Eiko Kaneda
Research Assistant	Eiko Tara
Postgraduate Student	Chizuko Suzuki



“ Dept. of Social Environmental Medicine often serves as a secretariat for Int’l Symposia. ”



“ Active chairmanship role creates interdisciplinary cooperative fruits. ”

Department of Molecular Immunogenetics

This department is newly established in April, 2001. We are focusing on the pathogenic genetic factors of the host and the parasite in the most important tropical infectious diseases as follows.

1. Schistosoma japonicum

1) Pathogenesis of hepatosplenic disease

Immunopathology controlled by HLA-Class II genes is analysed by T cell epitope, T cell cloning, tetramer analysis, Cytokine network analysis, ELISPOT analysis, 4 color FACS, animal model of HLA Tg mini-pig system

Identification of pathogenic genes by Multiple families (MF) genetic analysis

Association analysis between disease and immune related polymorphic genes

2) Molecular analysis of protective immunity in humans

Protective antigens effective for humans are searched by checking reactivity of super-resistant individuals in China.

Experimental animal model (pig)

Analysis of protective immunity in pig, and Vaccine development targeted to somula stage antigens.

Estimation of mRNA expression in somula by SAGE method

3) Surveillance system

Development of novel methodology for the long term surveillance

Environmental research by GIS/RS is introduced to Hilly type schistosomiasis project

2. Malaria

1) Pathogenesis of Severe malaria

Functional analysis of the susceptible TNFP

(TNF-alpha promoter) alleles to cerebral malaria

2) Protective Immunity in falciparum malaria

HLA-Class I restricted CD 8 T cell analysis in the immunity

3. Trypanosoma cruzi

1) Pathogenesis of the complications

Human genetic factors to develop Chagas heart, or the Mega disease by using HLA-class I, MICA, B, TNFP, and other relevant genes.

Pathogenicity of the parasite

By Comparisons between three different pathogenic parasite lines derived from human patients with different clinical types, cardiac, digestive, and no complication.

Biological variety of the parasite lines molecular basis of the difference between intracellular proliferative (Peru 1,2) and non-proliferative, (H 1, H 23) are analysed by 2 D

2) Protective immunity

Identification of a resistant gene

Analysis of the human T cell immunity

Protection from transplacental fetal infection.

4. Dengu virus

1) Pathogenesis of the DHF (Dengue Hemorrhagic Fever)

Host factors will be detected by the Population genetic analysis of the patients with DHF and non DHF.

Viral factors are also analysed.

Staffs

Professor	Kenji Hirayama
Associate Professor	Nobu Ohwatari
Assistant Professor	Mihoko Kikuchi
Technician	Junko Hayashima
Technician	Junko Kawashima



Laboratory of Molecular Genetics



NMR imaging and spectroscopy (Bruker)

Department of Internal Medicine (University Hospital)

In December 1974 ,Prof. Keizo Matsumoto (incumbent Emeritus Prof.) arrived as a professor of the Department of Internal Medicine, from when the Ward of Internal Medicine in the University Hospital started its real activities. Since April 1994 , Dr. Tsuyoshi Nagatake has succeeded as a next professor after the retirement of Prof. Keizo Matsumoto. The department is now one of the leading in the field of infectious diseases in the respiratory tract and infectious diseases in the tropical area. Besides lectures and training for medical students we make research on respiratory infections using quantitative culture method with inflammatory cytology of the sputum as well as bronchial secretes taken through bronchofiberscope. Antibiotic concentration in clinical specimens and susceptibility of causative organisms to various drugs are also measured to evaluate efficacy of chemotherapy. Clinical training for a doctor as a trainee is done to make a high quality physician, as not only a specialist for infectious field but a general physician for whole internal medicine.

Professor and Chief	Tsuyoshi Nagatake
Associate Professor	Kazunori Oishi
Assistant Professor	Hiroshi Watanabe
Research Associate	Norichika Aso
Research Associate	Hiroyuki Yoshimine
Research Associate	Shouzaburo Onizuka
Research Fellow	Hidehiko Takahashi
Research Fellow	Takeshi Yamaryo
Research Fellow	Konosuke Morimoto
Research Fellow	Reiki Kuroki
Research Fellow	Shinichi Kurita
Research Fellow	Kazuhiko Hoshino
Research Fellow	Momoyo Ugai
Intern	Yoshitaka Harada
Intern	Tsuyoshi Kuramoto



Clinical conference

Animal Research Center

The center makes it the principal aim to ensure the safety of animal experiments which deal with the pathogenic microorganisms and to build up the successful generation of experimental animals, microorganisms and parasites. The building consists of 7 breeding rooms of experimental animals, 2 laboratories, one breeding room of snails, one insectarium, two P 3-level biohazard laboratory and breeding room. The air pressure is kept to be always negative to avoid outflow from inside even at entrance to building. Since the building has the most thorough ventilation through HEPA filter, the microorganisms could not leak out to outside of the building. The water used is given chlorination and drained off. The breeding animals and experiments are done according to the Guideline for Animal Experiment edited by Nagasaki University. The laboratory animals bred in the center are mice, rats, hamsters, gerbils, rabbits, snails and mosquitoes. The center is largely used for the original research by Department of Virology, Bacteriology, Protozoology, Parasitology, Biochemistry, Environmental Physiology, Medical Entomology and Internal Medicine.

Professor and Director	Michio Nakamura
Research Associate	Akiyoshi Utsunomiya
Senior Research Assistant	Mariko Kozato



Mongolian gerbil (*Meriones unguicalatus*)

Research Center for Tropical Infectious Diseases

The Research Center for Tropical Infectious Diseases, which inherited its history from Information and Reference Center of Tropical Medicine, was established in April 2001. The mission of the center is to contribute to the global control of the tropical infectious diseases. We analyze factors that regulate the epidemics of the diseases to find appropriate control measures of the infection. The center also provides necessary information and references related to tropical diseases to all the staff, graduate students, researchers and trainees, as well as members of the public who visit the Institute.

References currently available at the center are books, maps, periodicals, pamphlets, films, videocassette tapes, photo slides, photographs, charts, exhibition panels, animal specimens as well as pathological tissue specimens. These materials are now being digitized and are provided to the public through cyberspace. The center also gathers scientific, social economic, and cultural information related to tropical diseases. Our current exhibitions consist of panels of major tropical diseases, diarrhea diseases, acute infectious diseases, AIDS related diseases, and specimen of parasites, vector arthropods and poisonous marine animals.

The center carries out eco-epidemiological studies on tropical diseases by means of fieldwork at

the actual site of the problem. We also use computer science technology, such as the geographical information system, remote sensing and information exchanging system, which project the future of tropical infectious diseases from both local and global perspective. One of our main interest is the role of human behavior in the transmission of tropical infectious diseases. Taxonomy and ecology of vector insects and mites of infectious diseases are also the research subjects of the center.

Professor	Masaaki Shimada
Associate Professor	Hiroshi Suzuki
Assistant Professor	Yuji Ataka
Research Assistant	Toshihumi Oyama
Research Assistant	Chika Yamaguchi
Technician	Kiyomi Suda
Graduate Student	Tomoko Kisu
Graduate Student	Yoshiki Hamada



Malaria mosquito



Exhibition room



Schistosomiasis transmission site
(Collection of vector snails)

Central Laboratory

There are several equipments at this laboratory. It is open for collaboration research with all part of Japan followings are the equipments now available. Electron microscopies (TEM and SEM of jeol), a Ultramicrotome (Reichert), a flow cytometer (FACScan), a cell sorter (FACSSatar plus), scanning electron microscopies (Bio rad MRC 600 and Zeiss LSM), micromanipulation system (Nikon-Narishige and Zeiss-shimazu), Bioimage analizers (Hamamatsu Pheotonics, Bio rad GS-250 and Pharmacia Image master), a peptide synthesizer (Millipore 600 E), a peptide sequencer (Shimazu PPSQ-10), DNA sequancers (Perkin-Elmer 373-70 and Pharmacia AFL), a DNA/RNA extraction system (Perkin-Elmer 341-30), a real-time surface plasmon detector (Fisons IAsys), two P 3 rooms, Super sentrifugal machine (optima L-90 K). with other equipments, experiments on cell biology and histochemistry can be carried out.

Professor and Chief Toshiya Hirayama
Research Associate Akitoyo Ichinose



The SEM of electron microscope Laboratory

Administration

Shunichi ro Nakamura, Head Official

General Affairs Unit

Rikio Yoshidomi, Chief
Yoji Hashiguchi, Sub-Chief
Nanami Tsuji, Assistant Staff

Accounting Unit

Tsukasa Urakawa, Chief
Kouzou Aota, Staff
Kazuki Ikeno, Staff
Yumiko Yamada, Assistant Staff
Asuka Matsuo, Assistant Staff


Collaboration Research Unit

Chikayoshi Aoki, Chief
Narumi Sasaki, Sub-Chief
Junko Suenaga, Assistant Staff







Administration office

Location map of the Institute of Tropical Medicine on Sakamoto Campus of Nagasaki University




Ground plan of the Institute






Ground plan of the Animal Research Center


1st Floor



2nd Floor



3rd Floor




Telephone Number

Institute of Tropical Medicine, Nagasaki University	095 (849) 7800	
	Extensions	
Dean	4700	849 7801
Head of Administrative Office	4701	849 7802
Chief of General Affairs Unit	4702	
General Affairs Unit	4703	849 7803
Facsimile	4705	849 7805
Chief of Accounting Unit	4706	
Accounting Unit	4707	849 7806
Accounting Unit	4708	
Chief of Collaboration Research Unit	4709	
Collaboration Research Unit	4710	849 7807
Meeting Room	4711	
Night Duty Room	4704	849 7804
Department of Virology		
Professor	4733	849 7827
Associate Professor	4734	849 7828
Information	4735	849 7829
Facsimile	4736	849 7830
Department of Bacteriology		
Professor	4737	849 7831
Lab 9	4738	849 7832
Information	4739	849 7833
Department of Protozoology		
Professor	4741	849 7835
Associate Professor	4742	849 7836
Lab 3	4743	849 7837
Information	4744	849 7838
Department of Parasitology		
Professor	4728	849 7822
Associate Professor	4729	849 7823
Research Associate	4730	849 7824
Information	4731	849 7825
Department of Molecular Epidemiology		
Professor	4770	849 7860
Department of Thermal Adaptation		
Professor (Concurrent)	4724	849 7818
Department of Biochemistry		
Professor	4754	849 7848
Lab .1	4755	849 7849
Lab 2	4756	849 7850
Information	4757	849 7851

	Extensions	
Department of Pathology		
Professor4719	849-7818
Associate Professor4720	849-7814
Lab 24721	849-7815
Information4722	849-7816
Department of Internal Medicine		
Professor4746	849-7840
Associate Professor4747	849-7841
Information4748	849-7842
Facsimile4749	849-7843
Department of Preventive Medicine and AIDS Research		
Professor4750	849-7844
Research Associate4751	849-7845
Information4752	849-7846
Department of Vector Ecology & Environment		
professor4716	849-7810
Staff room4717	849-7811
Information4715	849-7809
Facsimile4718	849-7812
Department of Social Environment		
Professor4774	849-7864
Information4775	849-7865
Information4776	849-7866
Facsimile4777	849-7867
Department of Environmental Pyhsiology		
Professor4724	849-7818
Associate Professor4725	849-7819
Information4726	849-7820
Facsimile4727	849-7821
Animal Research Center		
Information4762	849-7856
Laboratory4763	849-7857
Research Center for Tropical Infectious Diseases		
Professor4760	849-7854
Associate Professor4759	849-7853
Computer Room ⁽²⁾4778	849-7868
Information4760	849-7854
Facsimile4779	849-7869
Central Laboratory		
Electron Microscope Room4765	849-7859
Computer Room4766	
FACS Room.....	.4767	
Section for Experimental Animals4769	
Library4714	849-7808

Location map of the Institute of Tropical Medicine, Nagasaki University in Nagasaki City



How to get the Institute

- 1 . From Nagasaki Station (JR Kyushu)
 - ① Get on a bus (Nagasaki Bus, Line 8) at Nagasakieki-mae and get off at Igakubu-mae.
Five minutes walk from the bus stop.
 - ② Get on a streetcar at Nagasakieki-mae (for Akasako, Line 1 or 3), and get off at Hamaguchi-machi. Ten minutes walk from the streetcar stop.
 - ③ Ten minutes by taxi from the station.
- 2 . From Urakami Station (JR Kyushu)
 - ① Twenty minutes walk.
 - ② Five minutes taxi.
- 3 . From Nagasaki Airport
 - ① Get on limousine at the airport (for Nagasaki), and get off at Nagasaki-ekimae, and then continue to 1 .
 - ② Get on limousine at the airport (for Nagasaki), and get off at Ohashi, and then twenty minutes walk from the bus stop or 5 minutes by taxi.
 - ③ About one hour by taxi from the airport.

Location

1 12 4 Sakamoto Nagasaki 852 8523
 URL <http://www.tm.nagasaki-u.ac.jp>

Published on June 29 ,2001

Edited by the Information and Reference Center of Tropical Medicine, Institute of Tropical Medicine,
 Nagasaki University

Printed by Showado Printing Co., 1007 2 Nagano machi, Isahaya 854 0036 ,Japan